


1/19




Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961



Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961



Appl. No.: 09/840,961




PROGRAM FOR SAME Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961

) - -	
ADD:	IDENTIFIER = {ROUTER NAME=ROUTER 5, GROUP NAME=ROUTERGROUP, MAP NAME=TEMPORARY MAP 1 }
	ROUTER NAME = ROUTER 5
	param1=abc
	2 3
ADD:	IDENTIFIER= {LINK NAME=LINK5, GROUP NAME=LINKGROUP, MAP NAME=TEMPORARY MAP1}
	LINK NAME=LINK5
****	param3=xyz
ADD:	IDENTIFIER
	LINK NAME=LINK 6
a	param3=yyy
	param4=789
MODIFY:	
	ROUTE NAME==ROUTE 1
	param5=ABCDE
MODIFY:	
	ROUTER NAME=ROUTER 2
	param1=bbb
	345
MODIFY:	ļ
	ROUTER NAME=ROUTER 4
	param1=ccc
DELETE:	: IDENTIFIER= {LINK NAME=LINK 4, GROUP NAME=LINKGROUP, MAP NAME=TEMPORARY MAP 1 }


Inventor(s): Katsuyuki TANA Appl. No.: 09/840,961

FIG.6




ventor(s): Katsuyuki TANA Appl. No.: 09/840,961

FIG . 7




Appl. No.: 09/840,961

FIG.8




Appl. No.: 09/840,961


FIG. 9




Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961



Appl. No.: 09/840,961




nventor(s): Katsuyuki TANAK Appl. No.: 09/840,961



Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961


13/19

22




Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961

FIG. 14




Inventor(s): Katsuyuki TANA Appl. No.: 09/840,961







Inventor(s): Katsuyuki TANAKA Appl. No.: 09/840,961



Appl. No.: 09/840,961



Appl. No.: 09/840,961



Appl. No.: 09/840,961

